

**GOVERNMENT OF ANDHRA PRADESH
WATER RESOURCES DEPARTMENT**

From
Sri M.V.Ravi Kumar, M.Tech, PGDCS
Engineer-in-Chief (Admin),
Water Resources Department, &
Chairman, Board of Chief Engineers,
3rd Floor, Jalasoudha Building,
Errum Manzil, Hyderabad -500 082.

To,
All the members of
Board of Chief Engineers.

Lr.No. RC/ENC(AW)/ADA/AEE/24686/Vol.X/2016

Dt. 06 - 04 - 2016

Sir,

Sub:- BOCEs – 1st meeting of Board of Chief Engineers' during the year 2016 ,
held @ 11.00 A. M on 01-03-2016 in the Godavari Conference hall of the
Engineer-in-Chief (Admin), Water Resources Department, 3rd Floor,
Jalasoudha, Errummanzil, Hyderabad – Minutes of the meeting
communicated – Regarding.

Ref: T.O.Lr.No.Rc/ENC(AW)/ADA/AE1/24686/VOI.VII, dated:26-02-2016


*** **

It is to inform that the Minutes of 1st Board of Chief Engineers meeting held at
11.00 A.M on 01-03-2016 in the Godavari Conference hall of Engineer-in-Chief (Admin),
Water Resources Department, 3rd Floor, Jalasoudha, Errum Manzil, Hyderabad are
placed in the Water Resources Department official web site i.e." [www.irrigation ap.
cgg.gov.in](http://www.irrigation.ap.cgg.gov.in) ”.

All the members are therefore requested to download the same and take further
necessary action.

Yours faithfully,
Sd/- M.V.Ravi Kumar, dt.06-04-2016
Engineer-in-Chief (Admin)
Water Resources Department &
Chairman, Board of Chief Engineers


for Engineer-in-Chief (Admin)


14/4/16

MINUTES OF THE 1ST BOARD OF CHIEF ENGINEERS MEETING

HELD AT 11.00 A.M. ON 01-03-2016 IN THE

GODAVARI CONFERENCE HALL OF ENGINEER-IN-CHIEF (Admin)

SL. NO	Description of Item	Proposed By	Page No.
1	Vendor Registration for supply of Steel TMT Bar of Maa Mahamaya Industries Limited, Vizainagaram, & Scan Energy & Power Limited, Hyderabad.	Engineer-in-Chief (Irrigation) Water Resources Department	1
2	Pola Subbaiah Veligonda Project- tunnel 1- Rate approval - Refgarding	Engineer-in-Chief (I.W.) Water Resources Department	1 TO 3
3	Registration of Contractors – Intimation of Change in Directors within a month of such change – Exemption of Companies	Engineer-in-Chief (Admin) Water Resources Department	3
4	Reimbursement of Service Tax introduced With effect From 01/04/2015	Engineer-in-Chief (Irrigation) Water Resources Department	3 TO 4
5.	V&E – Appraisal Report - Works taken up by I&CAD under EPC System etc Drawing of Mobilization & Equipment Advances.	Engineer-in-Chief (Irrigation) Water Resources Department	4
6	Promotion of Industries –Pollution Control Measures –Implementation of Ministry of Environment and Forests Notification No.S.O.2804(E)dt.3-11-09 –On utilization of Fly ash generated by the thermal Power Plants	Engineer-in-Chief (I.W.) Water Resources Department	5
7	Works executed by the public works Dept – Excess and repetitive tax provision in the estimates	Engineer-in-Chief (I.W.) Water Resources Department	5 TO 6
8	WR Dept-Hon'ble Chief Minister's Assurance / Announcement on "Improvements to drain and weed removal of Kikkisa from Satyawada to Mandapaka " during the visit of Janmabhoomi Maavooru Programme in Velpuru(V)Tanuku Assembly Constituency-West Godavari District	Engineer-in-Chief (I.W.) Water Resources Department	6

9	WR Department-Construction of Double Lane and Single lane Bridges-Across Main canals, Branch canals, Distributaries and Minors -At the crossings of Zilla Praja Parishad, Mandal Praja Parishad and Panchayat Roads - Prescribing yard sticks-Consolidated - Instructions - Revision of the G.O.Ms.No.367 Irr&CAD(PW-COD)Dept., dt:25.08.1990.	Engineer-in-Chief (I.W.) Water Resources Department	6 TO 7
10	Water Resources Dept-Variations in unit rates for similar nature of items of work adopted in various Engineering Department works in A.P. Revised Standard Data-System Improvement Note-Action taken Report.	Engineer-in-Chief (I.W.) Water Resources Department	7
11	Launch of Pradhan Mantri Suraksha Bima Yojana (PMSBY) and Pradhan Mantri Jeevana Jyothi Bhima Yojana (PMJJBY) and Atal Pension Yojana (APY)	Engineer-in-Chief Panchayat Raj Dept.	8
12	Tenders for all the R&B works costing more than 10.00 Crores will be processed to COT against Rs. 2.00 Crores limitation prescribed in the G.O. 94 Dated 01-07-2003	Engineer-in-Chief (Admin) R&B Department	8 TO 9
13	Revised Estimates/ Expenditure excess over the original Administrative Sanction - Certain objections raised by the DOWA & PAO - Instructions regarding delegation of powers to departmental officers.	Engineer-in-Chief (Admin) R&B Department	10

MINUTES OF THE 1ST BOARD OF CHIEF ENGINEERS MEETING DURING THE YEAR 2016 HELD AT 11.00 A.M. ON 01 -03 -2016 IN THE GODAVARI CONFERENCE HALL OF ENGINEER-IN-CHIEF (Admin), WATER RESOURCES DEPARTMENT, ERRUM MANZIL, HYDERABAD.

The Engineer-in-Chief (Admin), Chairman of Board of Chief Engineers welcomed the participants and placed the following agenda for discussions by the members of the Board of Chief Engineers. The names of the officers attended to the meeting are appended vide Annexure-I.

The Engineer-in-Chief (Admin) initiated the discussions.

Item No. 1

Vendor Registration for supply of Steel TMT Bar of Maa Mahamaya Industries Limited, Vizianagaram, & Scan Energy & Power Limited, Hyderabad. **(Proposed by Engineer-in-Chief, Irrigation, W.R.Dept., Hyderabad)**

The Engineer-in-Chief, Irrigation, Hyderabad has informed that in view of the above, Engineer-in-Chief irrigation desired the advice of Board of Chief Engineers

The Board of Chief Engineers have discussed and observed that presently there is no policy of maintaining list of approved vendors of TMT bars and hence recommend no action in the matter.

(Action: Engineer-in-Chief, Irrigation, W.R.Dept., Hyderabad)

Item No. 2

Pula Subbaiah Veligonda Project – Tunnel- 1 – Rate approval – Regarding **(Proposed by Engineer-in-Chief, I.W., WR Dept., Hyderabad)**

Pula Subbaiah Veligonda Project is one of the seven prioritized projects of Government of A.P. The work of "Construction of Tunnel-I including Construction of Head regulator and approach channel of Poola Subbaiah Veligonda Project in Prakasam District including all allied works" was entrusted to M/s Sabir Sew & Prasad (JV), Hyderabad with an agreement period of 3 years i.e. upto 19.08.2008 and the Government had accorded 4th extension upto 30.06.2017.

The CE(P), Ongole, had reported that during the progress of work, in certain reach, boring through abrasive rock has to be taken place due to which there was an increase in replacement of cutters, and decrease in the output of the TBM in terms of excavated length per day etc. and the executing agency had expressed their inability to sustain the work on account of negative cash flows due to cost over runs and submitted the claims based on the "Technical

Expert Committee's recommendations and G.O. Ms. No. 63, dt. 12.06.2015 as follows:

1. Cost of replacement of cutters and Double : No. of cutters (both Single Cutter and Double Cutter) replaced and the costs of cutters
2. Cost of Power operation of TBM : Cost of power consumption for operation of TBM
3. Wear and Tear for each working day : Claiming full amount as if the work is done at the rate of 11m per day instead of actual progress of the work
4. Personnel component : Salaries of expatriates and local employees are clubbed who are engaged exclusively for boring of tunnel
5. Other Consumables Lubricants : Consumables like cost of Oils and Lubricants

The BoCEs have discussed the above matter in detail with the representatives of executing agencies with the following observations and suggestions:

1. The Technical Expert Committee had suggested only for compensation of "rate of increase in replacement of cutters only" but not for other cases
2. As per G.O. Ms. No. 63 dt. 12.06.2015, the BoCEs have to approve only those rates for which no rate is found in SoR. But, in this case, the rate is already finalized and the agency is claiming extra compensation for which the relevancy of the said G.O. is to be examined.
3. To resubmit the test results after obtaining the test results from a central agency like Geological Survey of India
4. The BoCEs have also suggested to provide the variation of Thrusts in case of normal zone and abrasive zone
5. The BoCEs have also requested to present the case duly substantiating Agreement conditions
6. Further, the BoCEs have requested to present the specifications supplied by TBM manufacturer vis-à-vis variation of rock strata and corresponding penetration rate
7. To present the observed data duly certified/verified by field officers and quality control staff

With the above observations and suggestions, the BoCEs have requested the Chief Engineer(P), Ongole, to present the above matter

in a more comprehensive manner in the next BoCEs meeting so as to take the decision on the matter appropriately.

(Action: CE(Project), W.R.Dept., Ongole)

Item No. 3

Registration of Contractors – Intimation of Change in Directors within a month of such change – Exemption of Companies **(Proposed by Engineer-in-Chief, Admn., WR Dept., Hyderabad)**

The Engineer-in-Chief, (Admin) W.R. Department, Hyderabad has informed to the members about the request made by the companies regarding exempting them in intimating the changes took place in their Directors panel and also rule position as stipulated in the G.O Ms No 94 dt 01-07-2003 and Govt. Memo No.51644/COD/2004,I&CAD(PW-COD) Deptt. dt.02-04-2004.

The Board of Chief Engineers have discussed and observed to continue the existing practice now being followed by the companies that whenever changes took place in their Directors panel the respective Companies have to intimate invariably to the Registering Authority.

(Action: Engineer-in-Chief, (Admin) W.R. Dept, Hyderabad)

Item No. 4

Reimbursement of Service Tax introduced with effect from 01/04/2015 **(Proposed by Engineer-in-Chief, Irrigation, Hyderabad)**

The Government while enclosing copies of representations of Builders' Association of India, Andhra Pradesh, on reimbursement of Service tax, requested the Engineer-in-Chief(Irrigation) to furnish a detailed report. In turn, the Engineer-in-Chief(Irrigation) requested the Engineer-in-Chief(Admin. Wing) to place this proposal before the Board of Chief Engineers.

The Builders' Association of India represented for inclusion of provision towards Service Tax also in the estimates with effect from 01.04.2015 for all ongoing and future works on the similar lines of provisions being made in the estimates towards VAT, Insurance, Engagement of Technical Personnel, Banker's Charges to ensure preparation of realistic estimates (as per G.O. Ms. No. 94, I&CAD Dept. Dt. 01.07.2003) since the Government of India vide Notification No. 6/2015-Service Tax Dt. 01.03.2015 has withdrawn the exemption of Service Tax on the activities of works in relation to construction for Government or a local authority, or any Government authorities for non-commercial use with effect from 01.04.2015

The BoCEs held a detailed discussion on the above matter and recommend to keep a lump-sum provision in lines of VAT and labour Cess in part-B of the estimate and recommend to reimburse the Contractors only after producing Service Tax payment details. The provision towards Service Tax may be kept at prevalent service tax on (40% of Original Works/70% of Repair and Maintenance works)

Action : Engineer-in-Chief(Irrigation), W.R. Dept, Hyderabad

Item No. 5

V&E – Appraisal Report - Works taken up by I&CAD under EPC System etc - Drawing of Mobilization & Equipment Advances. **(Proposed by Engineer-in-Chief(Irrigation), W.R. Dept, Hyderabad)**

The Government vide Govt. Memo No. 12907/Reforms/A1/2014-2 dt. 17.03.2016 had instructed Engineer-in-Chief(Irrigation) to communicate remarks on V&E appraisal report in respect of "payment & utilization of mobilization advances in ongoing Irrigation Projects"

The Vigilance & Enforcement Department had reviewed 3 package works in "Modernisation of Godavari Western Delta System in West Godavari Dist." and come up with suggestions with regard to payment of installment towards labour mobilization advance in EPC packages and also examining the possibility of reviewing the EPC agreement clause 49-1 and Government Memo No. 26135/Reforms/2006 dt. 16.09.2016 of the I&CAD Dept.

The Engineer-in-Chief(Irrigation) desired to place the matter before BoCEs for discussion and recommendation.

The BoCEs have discussed the matter in detail and recommend as follows:

- a) Mobilization advance towards labour can be availed in 3 instalments within a period of 25% of Agreement period or 6 months, whichever is earlier. Thereafter the agency cannot avail the facility.***
 - i) 1% after conclusion of Agreement***
 - ii) The remaining 4% in two instalments:***
 - 2% after completion of 50% of Investigation and Designs***
 - 2% after total completion of Investigation & Designs***
- b) Mobilization advance towards machinery can be availed within 50% of Agreement Period (or) 1 year whichever is earlier. Thereafter, the agency cannot avail the facility.***
- c) Interest is to be levied till the entire mobilization advance is recovered even beyond Agreement Period also.***

Action : Engineer-in-Chief(Irrigation), W.R. Dept, Hyderabad

Item No. 6

Promotion of Industries –Pollution Control Measures –Implementation of Ministry of Environment and Forests Notification No.S.O.2804(E)dt.3-11-09 – On utilization of Fly ash generated by the thermal Power Plants **(Proposed by Engineer-in-Chief, I.W.)**

The Collector & District Magistrate of Visakhapatnam while forwarding the Ministry of Environment & Forests, Govt. of India's Notification, dt. 03.11.2009, had informed that in the District Industries Promotion Committee(DIPC) meeting held on 18.08.2014, the subject of Fly-ash use was elaborately discussed and requested the co-operation and due participation of Engineering departments for ensuring effective implementation of Fly-ash use especially in the district of Visakhapatnam.

Accordingly, the above matter is placed before the BoCEs meeting held during the month of December 2014 and the BoCEs deferred the matter for want of further details

Now, the same matter is placed before the BoCEs for its recommendation.

The BoCEs have discussed the above matter in detail and observed that stipulations specified in the notification are mandatory and recommend that all the Engineering departments shall have to consider the applicability of Fly-ash usage on case to case basis and have to use Fly-ash wherever it is applicable.

Action : Engineer-in-Chief(I.W.), W.R. Dept, Hyderabad

Item No. 7

Works executed by the public works Dept – Excess and repetitive tax provision in the estimates **(Proposed by Engineer-in-Chief, I.W.)**

The Government vide Govt. Memo No. 15959/Vig.II(V&E-2)/2014-1 dt: 01.12.2014 have requested the Engineer-in-Chief(Irrigation) to take necessary action on the findings and corrective recommendations made by the General Administration (V&E) Dept.

The V&E Department have observed towards excess and repetitive in case of i) Value Added Tax, ii) Insurance, and iii) Mobilization Advance

The V&E had also proposed certain recommendations to improve the system.

In view of the above, the Engineer-in-Chief(Irrigation) has desired to place the above matter before the Board of Chief Engineers for discussing the same.

After detailed discussions, the BoCEs have observed that the Vigilance & Enforcement Department have given the breakup of 14% provision towards Contractor's profit and overheads suggested to ascertain the correctness of break-up and recommend to place the matter in the next BoCEs meeting.

Action : Engineer-in-Chief(I.W.), W.R. Dept, Hyderabad

Item No. 8

WR Dept-Hon'ble Chief Minister's Assurance / Announcement on "Improvements to drain and weed removal of Kikkisa from Satyawada to Mandapaka " during the visit of Janmabhoomi Maavooru Programme in Velpuru(V)Tanuku Assembly Constituency-West Godavari District
(Proposed by Engineer-in-Chief, I.W.)

The Government in the memo No. 18044/ERD/2015-5(WR(ERD) Dept.) dt. 31.10.2015 had instructed to finalize the unit rate for removal of Kikkisa weeds for speedy implementation of CM's Assurance/Announcement on "Improvements to Drain and weed removal of Kikkisa from Satyawada to Mandapaka" during honourable CM's visit of Janmabhoomi - Maavooru Programme in Velpuru(V), Tanuku Assembly Constituency, West Godavari Dist.

Accordingly, the Engineer-in-Chief(Irrigation) had requested to place the above matter before BoCEs for finalization of Unit rate for removal of Kikkisa and CE,GDS had explained to BoCEs the necessity of removal of Kikkisa in Drainage System and has proposed an unit rate of Rs.24/Sqm for removal of Kikkisa based on observed data in drainage systems.

The Board of Chief Engineers (BoCEs) had discussed in detail and recommend the unit rate of Rs.24/Sqm for Kikkisa as proposed by CE/GDS with a condition that the recommended rate is applicable only in drainage systems in the Districts of Krishna and West Godavari where this problem is prevalent and this rate is applicable for the year 2015-16 and 2016-17 and the rates shall be revised depending on necessity for the subsequent years.

Action : Chief Engineer, GDS, Dowlaiswaram

Item No. 9

WR Department-Construction of Double Lane and Single lane Bridges-Across Main canals, Branch canals, Distributaries and Minors -At the crossings of Zilla Praja Parishad, Mandal Praja Parishad and Panchayat Roads -Prescribing yard sticks-Consolidated -Instructions -Revision of the G.O.Ms.No.367

7

Irr&CAD(PW-COD)Dept., dt:25.08.1990. **(Proposed by Engineer-in-Chief, I.W.)**

The Government vide G.O. Ms. No. 367, Irr&CAD(PW-CoD) Dept., dt:25.08.1990 had issued certain instructions for construction of Double Lane and Single Lane Bridges across various irrigation canals at the crossings of Zilla Praja Parisha, Mandal Praja Parishad and Panchayat Roads.

Now, the Government vide Memo No. JS(Tech)/Peshi/3/2015 dt. 23.06.2015 have requested to place before the BoCEs the instructions of G.O. Ms. No. 367 for examination of BoCEs and to recommend changes, if any, required.

Accordingly, the matter is placed by Engineer-in-Chief(IW) before BoCEs.

The BoCEs after detailed discussions on the above subject matter opined that no revision of instructions in the said G.O. is required and recommend to keep the same instructions while allowing the concerned Chief Engineers to take decision on case to case basis in case of providing pedestrian crossings.

Action : Engineer-in-Chief(I.W.), W.R. Dept, Hyderabad

Item No. 10

Water Resources Dept-Variations in unit rates for similar nature of items of work adopted in various Engineering Department works in A.P.Revised Standard Data-System Improvement Note-Action taken Report. **(Proposed by Engineer-in-Chief, I.W.)**

The Government while forwarding the Vigilance & Enforcement recommendations on the above subject matter, have requested to place the findings and recommendations of Vigilance & Enforcement before Board of Chief Engineers and furnish action taken report to the Government.

The Vigilance & Enforcement Department have observed some details of standard data being followed by Water Resources Department, Roads & Buildings Department etc. and noted some dissimilarities in the similar nature of work items and opined that some of the provisions provided in the data are not required and recommended to change accordingly.

In view of the above, the Engineer-in-Chief(IW) has placed the matter before BoCEs for discussion.

The Board of Chief Engineers(BoCEs) have discussed the matter in detail. After detailed discussions, the BoCEs have opined that the above subject matter requires a further study before taking up any

decision and recommend to place the matter in the next BoCEs meeting.

Action : Engineer-in-Chief(I.W.), W.R. Dept, Hyderabad

Item No. 11

Launch of Pradhan Mantri Suraksha Bima Yojana (PMSBY) and Pradhan Mantri Jeevana Jyothi Bhima Yojana (PMJJBY) and Atal Pension Yojana (APY) **(Proposed by Engineer-in-Chief, Panchayat Raj Dept., Hyderabad)**

The Engineer-in-Chief(PR), vide his Lr. NO. AE/(T)/PMSBY,PMJJBY,APY/2015 dt. 07.08.2015 had informed that the Secretary, Finance Department, GoAP had requested Engineer-in-Chief(PR) to consider encouraging various groups associated with the State Government programmes like MGNREGS workers, Anganwadi workers, Self Help Groups, Farmers, Industrial workers as also Government Employees at all levels across Departments to subscribe to the above mentioned schemes subject to eligibility through their bank accounts etc. and requested to place before the BoCEs for discussion.

Accordingly, the above matter is placed before the BoCEs.

The BoCEs have discussed the above matter in detail and opined that it will be beneficial to all those workers and employees who subscribe to the above schemes and recommend to circulate the guidelines among all the stake-holding organizations.

Action : Engineer-in-Chief, Panchayat Raj Dept., Hyderabad

Item No. 12

The Tenders for all the R&B works costing more than 10.00 Crores will be processed to Commissionerate of Tenders along with the technical bid evaluation and price bid evaluation for consideration as against the Rs.2.00 Crores limitation prescribed in G.O. Ms. No. 94, I&CAD (PW-COD) Dept. dt. 01.07.2003 of Govt. of Andhra Pradesh **(proposed by Engineer-in-Chief, Admn, R&B,Hyderabad)**

The Engineer-in-Chief, Admn, R&B in his letter while referring to the GO MS No. 94 of Irrigation & CAD (PW-COD) Dated. 01.07.2003, had requested to place the matter of enhancing the powers of the Engineer-In-Chief / Chief Engineer to finalize the tenders up to Rs. 10.00 Crores instead of Rs.2.00 Crores as ordered in the said G.O. before the BoCEs.

Further, the Engineer-in-Chief, Admn, R&B have informed that the cost of construction materials such as Bitumen, Cement, Steel and High speed

Diesel, etc., have increased many folds since 2003-04 and hence it is necessary to revise these limits and also referred to the GO Ms no 12 Irrigation & CAD dept dated 28-01-2015 issued by Government of Telangana in which it was ordered that the tenders for all the works costing more than Rs 10.00 Crore of all Engineering departments will be referred to COT along with technical bid evaluation and price bid evaluation for consideration against Rs 2.00 Crores limitation prescribed in GO Ms no 94 I & CAD (PW-COD) Dept ,Dt 01-17-2003 '

In addition, the Engineer-in-Chief,Admn,R&B, has furnished the following analysis in support of his proposal:

For analysis purpose the proportionate percentage of increase in Roads & Bridge works, the following prime items of work and their increase with respect to the current Wholesale price index of 2013-14 is considered and tabulated below. For analysis purpose, road work costing Rs. 13.65 Crores using SSR 2004-05 is considered.

SI No	Prime items used in the construction	Costing (Rs. in lakhs)	% of amt compared with total cost	% excess for each of the component
1	Bitumen	504.00	42 %	354.67 %
2	Aggregate	300.00	22 %	247.27 %
3	Labour	196.00	15 %	166.91 %

The Weighted average duly taking in to consideration of WPI & Prime items in road work is as follows:

$$=(42*354.67 + 22*247.27 + 15*166.91) / (42+22+15) = 289.11 \%$$

Say 290 % increase in the Road work.

*Whereas the present monetary limit in COT is Rs. 2.00 Crore, which is to be enhanced by = 2.00 + 2.00 *2.90 = 2+5.80 = 7.80 say 8.00 Crores.*

Further there will be increase in cost due to increase in Machinery charges, Price adjustment and miscellaneous like seigniorage charges, LS provision etc.

After detailed discussion, the BOCE have unanimously agreed to the proposal of enhancing the tender acceptance powers from Rs 2.00Cr to Rs 10.00 Crores to the concerned Chief Engineers/Engineers-in- Chief and recommend to the Government for issuance of modification orders to Go Ms no 94 of Irrigation & CAD (PW-COD) Dated. 01.07.2003 Govt of AP.

Action : Engineer-in-Chief(R&B) ,Hyderabad

Item No. 13


Revised Estimates / Expenditure excess over the original Administrative Sanction – certain objections raised by DOWA and PAOs – Instructions regarding delegation of powers to Departmental officers. **(proposed by Engineer-in-Chief, Admn, R&B,Hyderabad)**

The Engineer-in-Chief, Admn, R&B, in his letter while referring to the instructions issued by Government from time to time recently in respect of powers delegated to EEs, SEs and EEs for excess expenditure over Technical Sanction vide G.O. Ms. No. 1, Finance(Works & Projects-F7) dt. 25.02.2012 wherein it was directed in Sub para 6(c) of Para 2 that “works should be executed only up to the limit granted by administrative sanctions and no excess work should be undertaken without sanction of the competent authority” and Govt. directions to DOWAs to issue instructions to PAOs/APAOs to ensure that the total expenditure excluding tender premium and price adjustment should not exceed Administrative Sanction amount while arranging payments and subsequent withdrawal of the memo 2808/F7(A1)/2013-2, Finance (W&P) Dept. dt. 26.11.2013 duly restoring the G.O. Ms. No. 1, Finance(Works & Projects-F7) dt. 25.02.2012, had expressed the view that while executing the civil works, at times in some cases some deviations are inevitable keeping in view of which the Govt. had earlier issued GO MS No. 1007,TR&B dept dt:05.11.1976 & G.O. Ms. No. 292, TR&B Dept., dt. 09-09-1980 and delegated powers regarding passing of excess expenditure over Sanctioned estimate.

In this context, the Engineer-in-Chief,Admn,R&B, has requested to have a discussion in BoCEs meeting on the above matter for appropriate recommendation to the Government.

After detailed discussion, the Board of Chief Engineers recommend to the Govt., to issue necessary instructions to DOWAs to admit excess expenditure over Technical sanction approved within the limits by EE, SE and CE respectively in accordance with the powers delegated vide G.O.Ms.No. 1007, T,R&B dept. dt. 5-11-1976 & G.O.Ms.No.292, T,R&B dept. dt.9-9-1980), as they are competent authorities as mentioned in the G.O.Ms.No.1, Finance (Works & Projects –F7) dept. dt.25-02-2012 – sub Para 6(c) of Para 2.

Action : Engineer-in-Chief(R&B),Admn ,Hyderabad


22/3/16
**Engineer-in-Chief (IW),
Chairman, BoCEs**

ANNEXURE- I

11

OFFICERS PRESENT TO THE FIRST BOARD OF CHIEF ENGINEERS MEETING DURING THE YEAR 2016 HELD AT 11.00AM ON 01-03-2016 IN THE GODAVARI CONFERENCE HALL OF ENGINEER-IN-CHIEF(Admin), WATER RESOURCES DEPARTMENT, ERRUM MANZIL, HYDERABAD.

S.No.	Name of the Engineer-in-Chief / Chief Engineer	Designation
1	Sri M.V.Ravi Kumar	Engineer-in-Chief(Admin), Chairman, Water Resources Dept
2	Sri.M.Venkateswara Rao	Engineer-in-Chief(Irrigation),Water Resources Dept
3	Sri.M.Venkateswara Rao	Engineer-in-Chief(Polavaram Irrigation Project), Water Resources Dept
4	Sri M.Gangadharam	Engineer-in-Chief(R&B),Hyderabad
5	Sri.E.Venkata Reddy	Engineer-in-Chief(R&B) Rural Roads,Hyderabad
6	Smt.K.Padmaja	Engineer-in-Chief,Tribal Welfare Dept,Hyderabad.
7	Sri.D.Rama Krishna	Chief Engineer, IS&WR, Water Resources Dept
8	Sri.S.M.D.Sabjan	Chief Engineer,Minor Irrigation, WR Dept
9	Sri.S.M.D.Sabjan	Chief Engineer,Medium Irrigation, WR Dept
10	Sri .M.Giridhara Reddy	Chief Engineer, CDO, Water Resources Dept
11	Sri .K.Varadaraju	Chief Engineer(Projects), Kadapa, WR Dept
12	Sri.V.Veera Raju	Chief Engineer (Projects),Ongole, WR Dept
13	Sri .T.Hanumantha Rao	Chief Engineer,Hydrology,WR Dept
14	Sri.G.Chitti Babu	Chief Engineer (Projects),Kurnool,WR Dept
15	Sri.Y.S.Sudhakar	Chief Engineer, KDS, Vijayawada,WR Dept
16	Sri.S.Hari Babu	Chief Engineer,GDS, Dowlaiswaram,WR Dept
17	Sri.A.V.S.Satyanarayana	Chief Engineer, HRD, WR Dept
18	Sri.C.Narayana Reddy	Chief Technical Officer,Vigilance Commission,A.P.Secretariat,Hyderabad
19	Sri.B.Vedavyasa Durvasa	Joint Secretary to Govt (Technical)
20	Sri. G.Jaganadha Rao	Chief Engineer(R&B),CRN & Managing Director,RDC
21	Sri.K.V.Nagaraja	Chief Engineer(R&B),Quality Control,Hyderabad
22	Sri.N.Krishna Reddy	Chief Engineer (R&B),Electrical,Hyderabad
23	Sri.G.S.Venkateswara Reddy	Chief Engineer,AP Transco,Vidyuth Soudha, Hyderabad.
24	Sri.P.Jagan Mohan Rao	DyENC,O/o the ENC(Admin),WR Dept & Convener of BOCES meeting